


Legend:

- ▲ Denotes Water Well
- △ Denotes Abandoned/Plugged Water Well
- ⊙ Denotes Monitoring Well



S C A L E

Source: TOPO! Software, National Geographic Seamless Topographic Maps on CD-ROM, 2001.

HIDE A WAY DAIRY
ROOSEVELT COUNTY

USGS MAP
FIGURE C-3

ENVIRO-AG
EAE
ENGINEERING

Enviro-Ag Engineering, Inc.
ENGINEERING CONSULTANTS
702 QUAIL CREEK DRIVE
AMARILLO, TEXAS 79124
TEL (806) 353-6123 FAX (806) 353-4132

DP-1246

4 recent GW

DP-1246

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 09-10-076
10/30/09 10:17

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 10/20/09 12:00

Test Description	Result	MQL	Units	Analyzed	By
TOTAL SOLIDS	74.6	0.1	% wt	10/22/09	AMM
* CHLORIDE ON SOLIDS	3700	251	mg/kg	10/22/09	RAD
NITRATE as (N)	ND	0.20	mg/kg	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	10700	129	mg/kg	10/29/09	RAD

Sample: 02A WASTEWATER

Collected: 10/20/09 11:55

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	2020	13	mg/l	10/29/09	RAD
* CHLORIDE	178	10	mg/l	10/22/09	RAD
NITRATE as (N)	ND	1.0	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	127	0.5	mg/l	10/29/09	RAD

Sample: 03A MONITOR WELL #1

Collected: 10/20/09 10:57

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	479	13	mg/l	10/29/09	RAD
* CHLORIDE	55.2	5.0	mg/l	10/22/09	RAD
NITRATE as (N)	3.38	1.00	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/29/09	RAD

Sample: 04A MONITOR WELL #2

Collected: 10/20/09 11:21

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	460	13	mg/l	10/29/09	RAD
* CHLORIDE	46.0	5.0	mg/l	10/22/09	RAD
NITRATE as (N)	17.4	2.5	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/29/09	RAD





Please note: Liability and Damages. ASK laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause shall be deemed, waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329



LABORATORY REPORT						
Lab #: A-2009NL002157	Accreditation # T104704264-09 TV	Send To: ENVIRO-AG ENGINEERING INC 6224 3404 AIRWAY BLVD AMARILLO, TX 79118	Report Date: 07/28/2009 05:14 pm			
		 Todd Whatley Laboratory Manager				
Project ID: Project Title: HIDE-A-WAY DAIRY II Sample ID: WELL #1 Client Name: HIDE-A-WAY DAIRY II Subject: Monitoring Well Lab Analysis	Date/Time Received: 07/17/2009 10:55 am Name of Submitter: JARETT STOVALL Date/Time Sampled: 07/16/2009 11:10 am Name of Sampler: JARETT STOVALL	Location: Invoice No: 401947 P.O. #: Depth: Flow Rate:				
Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.4	mg/L	0.10	EPA 353.2	7/20/2009 9:52AM	LF
Chloride, Cl	49	mg/L	1.0	EPA 325.2	7/20/2009 10:11AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	7/22/2009	RR
Total Dissolved Solids, TDS	494	mg/L	20	SM 2540 C (20th Ed.)	7/16/2009 9:34AM	MD
<div> <div>RL = Reporting Limit</div> <div>ND = Not Detected at RL</div> </div>						
						Page 1 of 1

2-1246

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • Fax: 806.677.0329

LABORATORY REPORT		Report Date: 07/28/2009 05:14 pm				
<p>Lab #: A-2009NL002158</p> <p>Send To: ENVIRO-AG ENGINEERING INC 6224 3404 AIRWAY BLVD AMARILLO, TX 79118</p> <p>Accreditation # T104704264-09 TV</p> <p> ACCREDITED IN ACCORDANCE WITH</p>		<p> Todd Whatley Laboratory Manager</p>				
<p>Project ID:</p> <p>Project Title: HIDE-A-WAY DAIRY II</p> <p>Sample ID: MONITOR WELL #2</p> <p>Client Name: HIDE-A-WAY DAIRY II</p> <p>Subject: Monitoring Well Lab Analysis</p>	<p>Date/Time Received: 07/17/2009 10:55 am</p> <p>Name of Submitter: JARETT STOVALL</p> <p>Date/Time Sampled: 07/16/2009 12:30 pm</p> <p>Name of Sampler: JARETT STOVALL</p>	<p>Location:</p> <p>Invoice No: 401947</p> <p>P.O. #:</p> <p>Depth:</p> <p>Flow Rate:</p>				
Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	16	mg/L	0.10	EPA 353.2	7/20/2009 9:53AM	LF
Chloride, Cl	46	mg/L	1.0	EPA 325.2	7/20/2009 10:12AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	7/22/2009	RR
Total Dissolved Solids, TDS	566	mg/L	20	SM 2540 C (20th Ed.)	7/16/2009 9:34AM	MD

RL = Reporting Limit

ND = Not Detected at RL

DP-1246

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 09-01-085
02/09/09 10:42

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MONITORING WELL #1

Collected: 01/28/09 17:00

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	183	80	mg/l	01/29/09	CRY
NITRATE as (N)	3.19	0.20	mg/l	01/29/09	CRY
TOTAL DISSOLVED SOLIDS	866	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/02/09	WJW

Sample: 02A MONITORING WELL #2

Collected: 01/28/09 17:11

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	38.3	10.0	mg/l	01/29/09	CRY
NITRATE as (N)	13.0	1.0	mg/l	01/29/09	CRY
TOTAL DISSOLVED SOLIDS	459	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/02/09	WJW

Sample: 03A WASTEWATER

Collected: 01/28/09 17:30

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	159	30	mg/l	01/30/09	CRY
NITRATE as (N)	ND	0.20	mg/l	01/30/09	CRY
TOTAL DISSOLVED SOLIDS	2960	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	397	5	mg/l	02/02/09	WJW

Sample: 04A MANURE

Collected: 01/28/09 17:37

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL SOLIDS	61.59	0.10	wt %	02/03/09	CRY
CHLORIDE	10700	814	mg/kg	01/30/09	CRY
NITRATE as (N)	4.79	3.30	mg/kg	01/30/09	CRY
TOTAL KJELDAHL NITROGEN	21400	812	mg/kg	02/02/09	WJW

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454



DP-1246

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 08-10-086
11/05/08 09:00

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 10/27/08 17:45

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
PERCENT SOLIDS DRY WEIGHT	84.87		wt % solids	10/29/08	WJW
CHLORIDE	5440	956	mg/kg	10/28/08	CRY
NITRATE as (N)	35.3	2.39	mg/kg	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	7040	118	mg/kg	10/30/08	DRG

Sample: 02A WASTEWATER

Collected: 10/27/08 17:45

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	2600	10	mg/l	10/30/08	CRY
CHLORIDE	142	40	mg/l	10/28/08	CRY
NITRATE as (N)	0.95	0.20	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	170	2.5	mg/l	10/30/08	DRG

Sample: 03A MONITORING WELL #1

Collected: 10/27/08 17:05

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	845	10	mg/l	10/30/08	CRY
CHLORIDE	168	40	mg/l	10/28/08	CRY
NITRATE as (N)	3.14	0.20	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/30/08	DRG

Sample: 04A MONTIORING WELL #2

Collected: 10/27/08 17:40

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	530	10	mg/l	10/30/08	CRY
CHLORIDE	50.3	20.0	mg/l	10/28/08	CRY
NITRATE as (N)	17.5	2.0	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/30/08	DRG

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Fax (806) 352-6454
5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Fax (806) 352-6454
ACCREDITED IN ACCORDANCE WITH
nelac
T104704346-08-TX

4 recent WW

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 09-10-076
10/30/09 10:17

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 10/20/09 12:00

Test Description	Result	MQL	Units	Analyzed	By
TOTAL SOLIDS	74.6	0.1	% wt	10/22/09	AMM
* CHLORIDE ON SOLIDS	3700	251	mg/kg	10/22/09	RAD
NITRATE as (N)	ND	0.20	mg/kg	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	10700	129	mg/kg	10/29/09	RAD

Sample: 02A WASTEWATER

Collected: 10/20/09 11:55

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	2020	13	mg/l	10/29/09	RAD
* CHLORIDE	178	10	mg/l	10/22/09	RAD
NITRATE as (N)	ND	1.0	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	127	0.5	mg/l	10/29/09	RAD

Sample: 03A MONITOR WELL #1

Collected: 10/20/09 10:57

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	479	13	mg/l	10/29/09	RAD
* CHLORIDE	55.2	5.0	mg/l	10/22/09	RAD
NITRATE as (N)	3.38	1.00	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/29/09	RAD

Sample: 04A MONITOR WELL #2

Collected: 10/20/09 11:21

Test Description	Result	MQL	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	460	13	mg/l	10/29/09	RAD
* CHLORIDE	46.0	5.0	mg/l	10/22/09	RAD
NITRATE as (N)	17.4	2.5	mg/l	10/22/09	RAD
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/29/09	RAD

5985 Glenoak Lane
Houston, Texas 77109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454
ACCREDITED IN ACCORDANCE WITH
nelac
T104704346-09-TX

GROUND WATER

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com


A110 12-2009

Phone: 806.677.0093

800.557.7509

Fax: 806.677.0329

E.L. 1109

Lab #: A-2009NL002159		LABORATORY REPORT		Report Date: 07/28/2009 05:14 pm	
Send To: 6224		ENVIRO-AG ENGINEERING INC 3404 AIRWAY BLVD AMARILLO, TX 79118		 Todd Whatley Laboratory Manager	
Project ID:		Date/Time Received:		07/17/2009 10:55 am	
Project Title:		Name of Submitter:		JARETT STOVALL	
Sample ID:		Date/Time Sampled:		07/16/2009 12:45 pm	
Client Name:		Name of Sampler:		JARETT STOVALL	
Subject:		Invoice No:		401947	
Location:		P.O. #:			
Depth:					
Analysis		Result		Unit	
Total Kjeldahl Nitrogen, TKN		270		mg/L	
Nitrate+Nitrite Nitrogen, NO3+NO2-N		<0.1		mg/L	
Chloride, Cl		170		mg/L	
Total Dissolved Solids, TDS		2400		mg/L	
Report formatted for regulatory compliance available upon request.					
Page 1 of 1					

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 09-01-085
02/09/09 10:42

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MONITORING WELL #1

Collected: 01/28/09 17:00

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	183	80	mg/l	01/29/09	CRY
NITRATE as (N)	3.19	0.20	mg/l	01/29/09	CRY
TOTAL DISSOLVED SOLIDS	866	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/02/09	WJW

Sample: 02A MONITORING WELL #2

Collected: 01/28/09 17:11

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	38.3	10.0	mg/l	01/29/09	CRY
NITRATE as (N)	13.0	1.0	mg/l	01/29/09	CRY
TOTAL DISSOLVED SOLIDS	459	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	02/02/09	WJW

Sample: 03A WASTEWATER

Collected: 01/28/09 17:30

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	159	30	mg/l	01/30/09	CRY
NITRATE as (N)	ND	0.20	mg/l	01/30/09	CRY
TOTAL DISSOLVED SOLIDS	2960	13	mg/l	02/06/09	CRY
TOTAL KJELDAHL NITROGEN	397	5	mg/l	02/02/09	WJW

Sample: 04A MANURE

Collected: 01/28/09 17:37

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL SOLIDS	61.59	0.10	wt %	02/03/09	CRY
CHLORIDE	10700	814	mg/kg	01/30/09	CRY
NITRATE as (N)	4.79	3.30	mg/kg	01/30/09	CRY
TOTAL KJELDAHL NITROGEN	21400	812	mg/kg	02/02/09	WJW

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454
WJW
ACCREDITED IN ACCORDANCE WITH
nelac
T104704346-08-TX

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 08-10-086
11/05/08 09:00

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A MANURE

Collected: 10/27/08 17:45

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
PERCENT SOLIDS DRY WEIGHT	84.87		wt % solids	10/29/08	WJW
CHLORIDE	5440	956	mg/kg	10/28/08	CRY
NITRATE as (N)	35.3	2.39	mg/kg	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	7040	118	mg/kg	10/30/08	DRG

Sample: 02A WASTEWATER

Collected: 10/27/08 17:45

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	2600	10	mg/l	10/30/08	CRY
CHLORIDE	142	40	mg/l	10/28/08	CRY
NITRATE as (N)	0.95	0.20	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	170	2.5	mg/l	10/30/08	DRG

Sample: 03A MONITORING WELL #1

Collected: 10/27/08 17:05

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	845	10	mg/l	10/30/08	CRY
CHLORIDE	168	40	mg/l	10/28/08	CRY
NITRATE as (N)	3.14	0.20	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/30/08	DRG

Sample: 04A MONTIORING WELL #2

Collected: 10/27/08 17:40

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	530	10	mg/l	10/30/08	CRY
CHLORIDE	50.3	20.0	mg/l	10/28/08	CRY
NITRATE as (N)	17.5	2.0	mg/l	10/28/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	10/30/08	DRG

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454
ACCREDITED IN ACCORDANCE WITH
nelac
T104704346-08-TX

DP-1246

Hall Environmental Analysis Laboratory

Date: 04-Feb-04

CLIENT: Hide-A-Way Dairy
 Lab Order: 0401180
 Project: DMR SAMPLING
 Lab ID: 0401180-01

Client Sample ID: RET LAG
 Collection Date: 1/26/2004 2:10:00 PM
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: BL
Chloride	190	1.0		mg/L	10	1/27/2004 2:17:08 PM
Nitrate (As N)+Nitrite (As N)	1.1	1.0		mg/L	10	1/27/2004 2:17:08 PM
EPA METHOD 160.1: TDS						Analyst: MAP
Total Dissolved Solids	4700	10		mg/L	10	2/2/2004
EPA METHOD 351.3: TKN						Analyst: MAP
Nitrogen, Kjeldahl, Total	630	5.0		mg/L	5	2/4/2004

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range

Highest WW

DP-1246

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 07-02-076
02/23/07 11:13

ASK LABORATORIES, INC.

Page 2

TEST RESULTS BY SAMPLE

Sample: 01A MW-1

Collected: 02/19/07 14:30

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	720	10	mg/l	02/22/07	VRB
CHLORIDE	164	2.0	mg/l	02/20/07	BNH
NITRATE as (N)	2.83	0.20	mg/l	02/20/07	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	02/21/07	VRB

Sample: 02A MW-2

Collected: 02/19/07 13:40

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	360	10	mg/l	02/22/07	VRB
CHLORIDE	29.6	2.0	mg/l	02/20/07	BNH
NITRATE as (N)	8.57	0.20	mg/l	02/20/07	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	02/21/07	VRB

Sample: 03A MW-3

Collected: 02/19/07 14:10

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	458	10	mg/l	02/22/07	VRB
CHLORIDE	31.5	2.0	mg/l	02/20/07	BNH
NITRATE as (N)	10.2	0.20	mg/l	02/20/07	BNH
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	02/21/07	VRB

Sample: 04A WASTE WATER

Collected: 02/19/07 13:45

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	2960	10	mg/l	02/22/07	VRB
CHLORIDE	231	2.0	mg/l	02/20/07	BNH
NITRATE as (N)	<0.20	0.20	mg/l	02/20/07	BNH
TOTAL KJELDAHL NITROGEN	48.5	0.5	mg/l	02/21/07	VRB

Lowest WW

Release Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

SEP 24 2007

ASK Laboratories, Inc.

BUREAU

Analytical Services Kwik!

Order # 07-08-096
08/27/07 15:52

ASK LABORATORIES, INC.

Page 2

TEST RESULTS BY SAMPLE

Sample: 01A MW-1

Collected: 08/21/07 12:00

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	37.4	10.0	mg/l	08/23/07	BNH
NITRATE as (N)	3.04	0.20	mg/l	08/23/07	BNH
TOTAL DISSOLVED SOLIDS	397	10	mg/l	08/22/07	JRM
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	08/24/07	VRB

Sample: 02A MW-2

Collected: 08/21/07 12:25

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	42.5	10.0	mg/l	08/23/07	BNH
NITRATE as (N)	15.1	0.20	mg/l	08/23/07	BNH
TOTAL DISSOLVED SOLIDS	443	10	mg/l	08/22/07	JRM
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	08/24/07	VRB

Sample: 03A MW-3

Collected: 08/21/07 12:50

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	89.4	10.0	mg/l	08/23/07	BNH
NITRATE as (N)	28.0	0.20	mg/l	08/23/07	BNH
TOTAL DISSOLVED SOLIDS	487	10	mg/l	08/22/07	JRM
TOTAL KJELDAHL NITROGEN	<0.5	0.5	mg/l	08/24/07	VRB

Sample: 04A WASTEWATER

Collected: 08/21/07

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE	439	50	mg/l	08/23/07	BNH
NITRATE as (N)	3.54	0.20	mg/l	08/23/07	BNH
TOTAL DISSOLVED SOLIDS	3370	10	mg/l	08/22/07	JRM
TOTAL KJELDAHL NITROGEN	64.1	0.5	mg/l	08/24/07	VRB

Sample: 05A MANURE

Collected: 08/21/07 12:35

<u>Test Description</u>	<u>Result</u>	<u>SQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
CHLORIDE ON SOLIDS	4150	500	mg/kg	08/23/07	BNH
NITRATE as (N)	<0.4	0.4	mg/kg	08/23/07	BNH
TOTAL KJELDAHL NITROGEN	1840	100	mg/kg	08/24/07	VRB

5935 Glenoak Lane

Amarillo, Texas 79109

Telephone (806) 353-4425

Toll Free 1-800-423-9443

Facsimile (806) 352-6454

DP-1246

JND WATER

SEP 17 2008

ASK Laboratories, Inc.

BUREAU

Analytical Services Kwik!

Order # 08-08-100
09/04/08 10:37

ASK LABORATORIES, INC.

Page 2 of 4

TEST RESULTS BY SAMPLE

Sample: 01A WASTEWATER RCS#2

Collected: 08/27/08 10:35

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	5380	10	mg/l	08/28/08	CRY
CHLORIDE	761	200	mg/l	08/29/08	CRY
NITRATE as (N)	ND	2.0	mg/l	08/29/08	CRY
TOTAL KJELDAHL NITROGEN	109	1	mg/l	08/28/08	WJW

Sample: 02A MAIN WELL #1

Collected: 08/27/08 10:00

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	462	10	mg/l	08/28/08	CRY
CHLORIDE	47.3	20.0	mg/l	08/29/08	CRY
NITRATE as (N)	2.64	0.20	mg/l	08/29/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	08/28/08	WJW

Sample: 03A MAIN WELL #2

Collected: 08/27/08 10:30

<u>Test Description</u>	<u>Result</u>	<u>MQL</u>	<u>Units</u>	<u>Analyzed</u>	<u>By</u>
TOTAL DISSOLVED SOLIDS	536	10	mg/l	08/28/08	CRY
CHLORIDE	50.7	20.0	mg/l	08/29/08	CRY
NITRATE as (N)	18.2	2.0	mg/l	08/29/08	CRY
TOTAL KJELDAHL NITROGEN	ND	0.5	mg/l	08/28/08	WJW

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454

Highest GW-MW-2
clay-lined west lagoon



Release Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.